



Certificate of Analysis

GENERAL PRODUCT INFORMATION

Date: May 17, 2021
Product Name: GOOD VIBES NANO TINCTURE
Lot Number: 430H
Manufacture Date: 05/05/2021

IDENTITY

Appearance: Liquid
Aroma: Hemp
Taste: Sweet, Fruit, Bitter, Hemp
Color: Pink
Consistency: Medium Viscosity, without Sediment

| MICROBIOLOGY | TEST METHOD | SPECIFICATION | TEST RESULT | UOM |
|-----------------------|-------------|---------------|-------------|-----------|
| TPC | USP <2021> | ≤ 100 cfu / g | <10 | cfu's/g |
| Coliforms | AOAC 991.14 | ≤ 100 cfu / g | <10 | cfu's/g |
| E. Coli | USP <2022> | ≤ 100 cfu / g | NEG | cfu's/g |
| Staph A. | USP <2022> | ≤ 100 cfu / g | NEG | cfu's/g |
| Salmonella | USP <2022> | ≤ 100 cfu / g | NEG | cfu's/10g |
| Pseudomonas | USP <2022> | ≤ 100 cfu / g | NEG | cfu's/10g |
| Yeast Count | USP <2021> | ≤ 100 cfu / g | <10 | cfu's/g |
| Mold Count | USP <2021> | ≤ 100 cfu / g | <10 | cfu's/g |
| Anaerobic Plate Count | 1.17 | ≤ 100 cfu / g | <10 | cfu's/g |


| HEAVY METAL | TEST METHOD | SPECIFICATION | TEST RESULT | UOM |
|-------------|-------------|---------------|-------------|-----|
| Arsenic | ICP-MS 2.60 | < 3.0 | <0.001 | ppm |
| Cadmium | ICP-MS 2.60 | < 0.05 | <0.001 | ppm |
| Lead | ICP-MS 2.60 | < 1.0 | <0.001 | ppm |
| Mercury | ICP-MS 2.60 | < 0.01 | 0.007 | ppm |

| CANNABINOID PROFILE | TEST METHOD | SPECIFICATION | TEST RESULT | % (w/w) |
|---------------------|-------------|---------------|-------------|---------|
| CBDV | HPLC, EGP | Recorded | ND | % |
| CBDA | HPLC, EGP | Recorded | ND | % |
| CBGA | HPLC, EGP | Recorded | ND | % |
| CBG | HPLC, EGP | Recorded | ND | % |
| CBD | HPLC, EGP | Recorded | 0.27 | % |
| THCV | HPLC, EGP | Recorded | ND | % |
| CBN | HPLC, EGP | Recorded | ND | % |
| Delta9-THC | HPLC, EGP | Recorded | ND | % |
| Delta8-THC | HPLC, EGP | Recorded | ND | % |
| CBC | HPLC, EGP | Recorded | ND | % |
| THCA-A | HPLC, EGP | Recorded | ND | % |
| Total THC | HPLC, EGP | Recorded | ND | % |
| Total CBD | HPLC, EGP | Recorded | 0.27 | % |

| STRENGTH pH | SPECIFICATION | RESULT |
|-------------|---------------|--------|
| pH | 3.4 – 3.57 | 3.57 |

Solvents and Pesticides have been tested and passed. See attached supporting documentation.

All Good Vibes Nano Tincture End Product Specifications (Doc # 3387) were met.

Quality Control Signature: 

Date: 5-17-21
~~5-12~~

327 S 640 W #11, Pleasant Grove, Utah 84062
 Phone (801) 785-2304 Fax (801) 785-3134

