



# Certificate of Analysis

## GENERAL PRODUCT INFORMATION

**Date:** September 14, 2022  
**Product Name:** GOOD VIBES SHOT  
**Lot Number:** 482H  
**Manufacture Date:** 08/08/2022



## IDENTITY

**Appearance:** Liquid  
**Aroma:** Hemp  
**Taste:** Sweet, Fruit, Bitter, Hemp  
**Color:** Pink  
**Consistency:** Low Viscosity, without Sediment

MICROBIOLOGY	TEST METHOD	SPECIFICATION	TEST RESULT	UOM
TPC	USP <2021>	≤ 100 cfu / g	<10	cfu's/g
Coliforms	AOAC 991.14	≤ 100 cfu / g	<10	cfu's/g
E. Coli	USP <2022>	NEG	NEG	cfu's/g
Staph A.	USP <2022>	NEG	NEG	cfu's/g
Salmonella	USP <2022>	NEG	NEG	cfu's/10g
Pseudomonas	USP <2022>	NEG	NEG	cfu's/10g
Yeast Count	USP <2021>	≤ 100 cfu / g	<10	cfu's/g
Mold Count	USP <2021>	≤ 100 cfu / g	<10	cfu's/g
Anaerobic Plate Count	1.17	≤ 100 cfu / g	<10	cfu's/g

HEAVY METAL	TEST METHOD	SPECIFICATION	TEST RESULT	UOM
Arsenic	ICP-MS 2.60	< 3.0	0.043	ppm
Cadmium	ICP-MS 2.60	< 0.05	<0.001	ppm
Lead	ICP-MS 2.60	< 1.0	0.004	ppm
Mercury	ICP-MS 2.60	< 0.01	<0.001	ppm

CANNABINOID PROFILE	TEST METHOD	SPECIFICATION	TEST RESULT	mg/ml
THC-A	HPLC, EGP	Recorded	ND	mg/ml
Delta 9-THC	HPLC, EGP	Recorded	ND	mg/ml
Delta 8-THC	HPLC, EGP	Recorded	ND	mg/ml
THC-V	HPLC, EGP	Recorded	ND	mg/ml
CBG-A	HPLC, EGP	Recorded	ND	mg/ml
CBD	HPLC, EGP	Recorded	0.04	mg/ml
CBD-V	HPLC, EGP	Recorded	ND	mg/ml
CBN	HPLC, EGP	Recorded	ND	mg/ml
CBG	HPLC, EGP	Recorded	ND	mg/ml
CBC	HPLC, EGP	Recorded	ND	mg/ml
Total Active Cannabinoids	HPLC, EGP	Recorded	0.04	mg/ml
Total Active THC	HPLC, EGP	Recorded	ND	mg/ml
Total Active CBD	HPLC, EGP	Recorded	0.04	mg/ml

STRENGTH pH	SPECIFICATION	RESULT
pH	3.4 – 3.57	3.41

Solvents and Pesticides have been tested. See attached supporting documentation.

All Good Vibes Shot End Product Specifications (Doc # 3385) were met.

Quality Control Signature: \_\_\_\_\_

Date: \_\_\_\_\_

9-14-22

327 S 640 W #11, Pleasant Grove, Utah 84062  
 Phone (801) 785-2304 Fax (801) 785-3134  
 E-mail: admin@naturesenergy.us

2