




# Certificate of Analysis

## GENERAL PRODUCT INFORMATION

**Date:** September 12, 2022  
**Product Name:** GOOD VIBES NANO TINCTURE  
**Lot Number:** 484H  
**Manufacture Date:** 08/29/2022



## IDENTITY

**Appearance:** Liquid  
**Aroma:** Hemp  
**Taste:** Sweet, Fruit, Bitter, Hemp  
**Color:** Pink  
**Consistency:** Medium Viscosity, without Sediment

MICROBIOLOGY	TEST METHOD	SPECIFICATION	TEST RESULT	UOM
TPC	USP <2021>	≤ 100 cfu / g	<10	cfu's/g
Coliforms	AOAC 991.14	≤ 100 cfu / g	<10	cfu's/g
E. Coli	USP <2022>	≤ 100 cfu / g	NEG	cfu's/g
Staph A.	USP <2022>	≤ 100 cfu / g	NEG	cfu's/g
Salmonella	USP <2022>	≤ 100 cfu / g	NEG	cfu's/10g
Pseudomonas	USP <2022>	≤ 100 cfu / g	NEG	cfu's/10g
Yeast Count	USP <2021>	≤ 100 cfu / g	<10	cfu's/g
Mold Count	USP <2021>	≤ 100 cfu / g	<10	cfu's/g
Anaerobic Plate Count	1.17	≤ 100 cfu / g	<10	cfu's/g

HEAVY METAL	TEST METHOD	SPECIFICATION	TEST RESULT	UOM
Arsenic	ICP-MS 2.60	< 3.0	<0.001	ppm
Cadmium	ICP-MS 2.60	< 0.05	<0.001	ppm
Lead	ICP-MS 2.60	< 1.0	0.003	ppm
Mercury	ICP-MS 2.60	< 0.01	0.002	ppm

CANNABINOID PROFILE	TEST METHOD	SPECIFICATION	TEST RESULT	% (w/w)
CBDV	HPLC, EGP	Recorded	ND	%
CBDA	HPLC, EGP	Recorded	ND	%
CBGA	HPLC, EGP	Recorded	ND	%
CBG	HPLC, EGP	Recorded	ND	%
CBD	HPLC, EGP	Recorded	0.34	%
THCV	HPLC, EGP	Recorded	ND	%
CBN	HPLC, EGP	Recorded	ND	%
Delta9-THC	HPLC, EGP	Recorded	ND	%
Delta8-THC	HPLC, EGP	Recorded	ND	%
CBC	HPLC, EGP	Recorded	ND	%
THCA-A	HPLC, EGP	Recorded	ND	%
<b>Total THC</b>	HPLC, EGP	Recorded	ND	%
<b>Total CBD</b>	HPLC, EGP	Recorded	0.34	%

STRENGTH pH	SPECIFICATION	RESULT
pH	3.4 – 3.57	3.55

Solvents and Pesticides have been tested and passed. See attached supporting documentation.

All Good Vibes Nano Tincture End Product Specifications (Doc # 3387) were met.

Quality Control Signature: 

Date: 9-8-22

327 S 640 W #11, Pleasant Grove, Utah 84062  
 Phone (801) 785-2304 Fax (801) 785-3134

