



Certificate of Analysis

GENERAL PRODUCT INFORMATION

Date: June 14, 2023
Product Name: GOOD VIBES NANO TINCTURE
Lot Number: 518H
Manufacture Date: 06/05/2023



IDENTITY

Appearance: Liquid
Aroma: Hemp
Taste: Sweet, Fruit, Bitter, Hemp
Color: Pink
Consistency: Medium Viscosity, without Sediment

MICROBIOLOGY	TEST METHOD	SPECIFICATION	TEST RESULT	UOM
TPC	USP <2021>	≤ 100 cfu / g	<10	cfu's/g
Coliforms	AOAC 991.14	≤ 100 cfu / g	<10	cfu's/g
E. Coli	USP <2022>	≤ 100 cfu / g	NEG	cfu's/g
Staph A.	USP <2022>	≤ 100 cfu / g	NEG	cfu's/g
Salmonella	USP <2022>	≤ 100 cfu / g	NEG	cfu's/10g
Pseudomonas	USP <2022>	≤ 100 cfu / g	NEG	cfu's/10g
Yeast Count	USP <2021>	≤ 100 cfu / g	<10	cfu's/g
Mold Count	USP <2021>	≤ 100 cfu / g	<10	cfu's/g
Anaerobic Plate Count	1.17	≤ 100 cfu / g	<10	cfu's/g

HEAVY METAL	TEST METHOD	SPECIFICATION	TEST RESULT	UOM
Arsenic	ICP-MS 2.60	< 3.0	<0.001	ppm
Cadmium	ICP-MS 2.60	< 0.05	<0.001	ppm
Lead	ICP-MS 2.60	< 1.0	0.050	ppm
Mercury	ICP-MS 2.60	< 0.01	<0.001	ppm

CANNABINOID PROFILE	TEST METHOD	SPECIFICATION	TEST RESULT	% (w/w)
CBDV	HPLC, EGP	Recorded	ND	%
CBDA	HPLC, EGP	Recorded	ND	%
CBGA	HPLC, EGP	Recorded	ND	%
CBG	HPLC, EGP	Recorded	ND	%
CBD	HPLC, EGP	Recorded	0.31	%
THCV	HPLC, EGP	Recorded	ND	%
CBN	HPLC, EGP	Recorded	ND	%
Delta9-THC	HPLC, EGP	Recorded	ND	%
Delta8-THC	HPLC, EGP	Recorded	ND	%
CBC	HPLC, EGP	Recorded	ND	%
THCA-A	HPLC, EGP	Recorded	ND	%
Total THC	HPLC, EGP	Recorded	ND	%
Total CBD	HPLC, EGP	Recorded	0.31	%

STRENGTH pH	SPECIFICATION	RESULT
pH	3.4 – 3.57	3.4

Solvents and Pesticides have been tested and passed. See attached supporting documentation.

All Good Vibes Nano Tincture End Product Specifications (Doc # 3387) were met.

Quality Control Signature:

Date: 6-15-23

327 S 640 W #11, Pleasant Grove, Utah 84062
 Phone (801) 785-2304 Fax (801) 785-3134

